

Expression of Interest Inviting Demand for Electric Buses on Gross Cost Contracting Basis and/or on Dry Lease Contracting Basis

Call for Proposals from STUs

Issued By

CONVERGENCE ENERGY SERVICES LIMITED
(A Wholly Owned Subsidiary of EESL)
(NFL Building, 2nd Floor, Core – III
SCOPE Complex, Lodhi Road,
New Delhi-110003)

Issued Date: 11th November, 2022

Reference to the EoI issued by CESL, the last date of submitting the proposal has been extended from 23rd January 2023 to 20th February 2023.

Last date for submission of proposals: **20th February 2023**

NATIONAL ELECTRIC BUS PROGRAM, INDIA

Expression of Interest – Number II.

Inviting Demand for Electric Buses on a Gross Cost Contracting (GCC) or Dry Lease Contracting Basis

1. Background

Convergence Energy Services Limited (CESL), a subsidiary of EESL discovered lowest ever prices for the biggest ever tender of 5,450 electric buses in 5 cities through Grand Challenge under FAME India Scheme Phase-II. The rates discovered are 27% less than diesel and 25% less than CNG without subsidy. This was achieved by aggregating the demand and floating a unified tender with standardized parameters and contract terms.

Based on this outcome, CESL has been requested by NITI Aayog and MoRTH to scale up the model and to play the role of program manager to deploy 50,000 electric vehicles under a “National Electric Bus Program (NEBP)”. The NEBP will seek to aggregate demand from bus transport agencies and conduct tendering on an aggregated basis. CESL will also support the creation of infrastructure to operate 50,000 e-buses in a phased procurement manner across Indian cities.

CESL had issued the Expression of Interest (EoI) issued on dated 12th July 2022. Further to this, Convergence Energy Services Limited (CESL) has floated a tender for 6,465 electric buses (eBuses) on 21st September 2022. This was the first phase tender floated under the National Electric Bus Program (NEBP). 6 states or 7 transport entities were subscribed for their demand for operating eBuses under Gross Cost Contract (GCC), in which requesting bidders to quote per km basis for operating service for longer duration, say 10/12 years. It contains demand for three types of buses — 7m, 9m, and 12m and seven different lot types including AC and NonAC eBuses.

Apart from the demand received on GCC model, CESL had also received demand for Dry Lease Contract model from a couple of states where driver redundancy is a serious concern. In a Dry Lease Contract model STUs can utilise their existing drivers for operations of eBuses. Therefore, Dry Lease is being considered as an additional business model in NEBP and a tender with revised terms and conditions under Dry lease contract model will float shortly.

Accordingly, CESL is inviting demand for e-buses either on GCC or Dry Lease model via this Expression of Interest (EoI) from any public state transport undertaking (STU), Transport

Corporation, special purpose vehicle, or transport authority engaged in public transport operations. STUs must meet the selection parameters set out in Section-5.

2. Quantity of Buses:

The program facilitates tendering of e-buses and creation of supporting infrastructure to deploy e-buses on Indian roads. The aggregated demand (approx. 5,000) will be tendered out for price discovery by CESL. **3. Contracting Model**

This EoI is inviting demand for operating e-buses using the GCC and/or Dry lease contracting models. A brief definition of the two contracting model is as below.

a. Gross Cost Contract (GCC) Model

In the GCC model of procurement, the bus is owned, operated, and maintained by service providers (OEM or a consortium of OEM and bus service providers) for a specific rate and contract period. The Authority pays a pre-decided per km fee (PK Fee) discovered through competitive bidding process to the service provider. The model is adopted under the Grand Challenge tender and the major roles and responsibilities of STU's and bidders are presented in Section 7.

b. Dry Lease Contract Model

In the Dry Lease Contracting Model of procurement, the bus is owned and maintained by service providers for a specific rate and contract period, the responsibility of operation is with STU's. In this model, the Authority pays a pre-decided monthly per bus fee (PB Fee) discovered through competitive bidding process to the service provider. The major roles and responsibilities of STU's and bidders under the dry lease contract model are presented in Section 7.

4. Proposed Timeline for Administration of NEBP Tenders

Floating of EoI	T0
Subscription to this program by STUs	T1 (2 nd December 2022)
Floating of tender to bidders	T2 = T1 + 15 days
Final date of bid submission against tender	T3 = T2 + 45 days
Declaration of results	T4 = T3 + 7 days
Price matching by L2/L3 bidders	T5 = T4 + 7 days
Signing of Concession agreement	T6 = T5 + 10 days

Delivery of homologated prototype	T7 = T6 + 60 days
Delivery of vehicles	As per schedule submitted by STU

5. Participation Parameters of STUs

STU/Authority should provide a favourable ecosystem for bus operators to deploy e-buses such as identifying the dedicated depots, development of infrastructure, providing parking space, tech-enabled depots for real time monitoring etc.

An indicative list of parameters that STUs must account for are given below. Terms already agreed in the Grand Challenge and NEBP Tender-1 will not change.

S. No.	Criteria	Type -I (usually used for Intra- City)	Type-II (usually used for Mofussil)	Type-III (usually used for Inter city)
1	Minimum number of buses per STU	150	300	300
2	Minimum buses per depot	50	50	50
3	Annual assured km	70,000	1,22,500	1,57,500
4	Contract period	12 years	10 years	10 years
5	Minimum Daily Assured Kms	192	350	450
6	Opportunity charging per day	45 mins	45 mins	60 mins

Charging Infrastructure.

Interested STUs/Authorities should also have the following basic infrastructure for charging infrastructure:

- i. In principle approval for establishment of upstream depot covering permissions, land, access, and electrical supply (at least 11kV) as per defined standards by the STU/Authority. Please estimate 5-6 cr per depot for electrical works associated with the charging infrastructure.
- ii. Identification of bus depots with minimum area required for one bus would be around 150 sq. m. including basic depot requirements, such as parking, workshops, staff

amenities, administrative block, etc ¹. Provision of land, development of upstream electrical infrastructure should be in the STU/Authority's mandate.

Brief note presenting the SOP for depot preparedness and upstream charging infra requirement is provided as part of **Annexure - C** for further clarity.

6. Applicable Participation Fees

STU/Authority shall pay to CESL a basic participation fee of **INR 10,00,000** through a demand draft/NEFT/RTGS in favour of "Convergence Energy Services Limited". Account details are as under:

Account Name: **Convergence Energy Services Limited**
Account Number: **000705051799** Account type: **Current**
Bank Name & Branch: **ICICI Bank, New Delhi Branch**
IFSC Code: **ICIC0000007** MICR Code: **110229002**

Project Management Charges will be levied on the successful bidder – as with the NEBP Tender 1.

7. Key Roles & Responsibilities:

i. *CESL's Key Responsibilities:*

- i. Aggregate demand from STUs/Authorities through Expression of Interest (EoI) subscription
- ii. Detailed assessment of technical and commercial preparedness of the recipient cities:
- iii. Review existing eBus policies and various incentives to promote eBuses and charging facilities
- iv. Assessment of financial strength of the STUs and ability to make regular payments
- v. Assessment of existing owning and operating cost of buses
- vi. Design an appropriate mix of business models: Based on the assessment of various cities, alternative models need to be analyzed including Gross Cost Contract (GCC), Net Cost Contract (NCC), un-bundled (bus supply and operation by separate entities) and other appropriate model(s) to be finalized
- vii. Design of the NEBP program, its rules and allocation methods;
- viii.

¹ <http://www.urbanmobilityindia.in/Upload/Conference/9ec50d60-00e4-4f3f-9cdd-47e60346924e.pdf>

- Standardization of parameters and contract terms through consultation with subscribing STUs/ transit agencies
- ix. Designing of robust payment security mechanism: Design robust payment security mechanism based on the assessment of the financial and credit strength of STUs
- x. Increased competition: Designing conditions to increase the universe of eligible bidders through encouraging collaboration between OEMs, operators, financiers; domestic and foreign financial institutions; infrastructure service companies and financial investors such that there is adequate competition;
- xi. Manage a consultative process: Facilitate consultations amongst stakeholders to evaluate alternative business models, arrive at common standard technical specifications and commercial terms to help design bankable and attractive structure
- xii. Designing and implementing a transparent and fair competitive bid process
- xiii. Capacity Building: As eBuses deployment on PPP is a new and innovative concept, it is important to develop institutional capacity of relevant STUs to help them understand and implement the contract efficiently.
- xiv. Design and drafting of bid documents, agreements and other documentation;
- xv. Finalization of the technical specifications for buses suitable for the participating STUs
- xvi. Floating of RfP/tender to select bidders (OEM/ Operators) for eBus deployment
- xvii. Discovery of prices and communicate the same to STUs.
- xviii. Assist STUs and the winning bidder to finalize the Concession agreement
- xix. Development of carbon credits

ii. ***STU/Authority's Key Responsibilities***

a. Under GCC Model

- i. Sign Concession agreement for deployment of e-buses, including defining of optimal routes for facilitating e-bus deployment. Agreement will be part of the RFP document and shall not change afterwards.

- ii. Escrow account to be created by the STU/Authority into which the STU shall maintain monies equal to the normative three months payment of the operator.

Farebox revenue - explain iii. Provide adequate vacant land at the depot, free from encumbrances, along with road connectivity and right of way, civil structures for management of transit operations (such as boundary wall, external service connections, office, security booths, medical facility, rest rooms, canteen, stores, workshop sheds, washing/ maintenance/ service pits, etc.), upstream infrastructures including civil/electrical work and electric connection at available HT metering level (6/11/22/33 KV connection) including on-site sub- stations for stepping down voltage to 0.415 KV and all requisite licence/permissions for set-up and operation of maintenance depots, charging infrastructure, and parking of buses. The Authority shall handover peaceful and unencumbered possession of maintenance depots to the operator.

- iv. The Authority will not be responsible for payment of any electricity charges related to operations, maintenance and charging of buses. The Authority will bear any changes (increase or decrease) in electricity tariff or other related charges including fixed fee, cess, taxes etc. up to the allowable power consumption post the bid submission date.
- v. Provide conductors on buses for ticket collection.
- vi. Monitor operations through a command and control centre to monitor performance and track infractions
- vii. Make monthly payments for the kilometre's operated to selected bidders at the discovered prices in line with the term of the concession agreement and stipulated timelines
- viii. Support, cooperate with and facilitate the Operator in the implementation and operation of the Project
- ix. Collect 100% advertisement revenue from buses while ensuring no damage to the buses or maintenance and charging infrastructure. Any damage caused to the buses or associated charging and maintenance during to installation, operation or removal of advertisements would be fully borne by the STU on actuals within a month from the damage being reported

b. Under Dry Leasing Contract Model

- i. Sign Dry Lease agreement for deployment of e-buses.
Agreement will be part of the RFP document and shall not change afterwards.
- ii. Escrow account to be created by the STU/Authority into which the STU shall maintain monies equal to the normative three months payment of the operator.
Farebox
- iii. Provide adequate vacant land at the depot, free from encumbrances, along with road connectivity and right of way, civil structures for management of transit operations (such as boundary wall, external service connections, office, security booths, medical facility, rest rooms, canteen, stores, workshop sheds, washing/ maintenance/ service pits, etc.), upstream infrastructures including civil/electrical work and electric connection available at HT metering level (6/11/22/33 KV connection) including on-site sub- stations for stepping down voltage to 0.415 KV and all requisite licence/permissions for set-up and operation of maintenance depots, charging infrastructure, and parking of buses. The Authority shall handover peaceful and unencumbered possession of maintenance depots to the operator.
- iv. Pay electricity consumption charges for charging of buses subject to energy efficiency limits. Reconciliation for electricity consumption will be done annually.
- v. Operating, Planning and Scheduling of fleet including providing driver's and conductors on buses for ticket collection
- vi. To pay monthly per bus fee (PB Fee) to the selected bidders at the discovered prices in line with the term of the concession agreement and stipulated timelines.
- vii. Maintenance cost to be paid by STU over and above assured KM annually based on the discovered price
- viii. Support, cooperate with and facilitate the Operator in the implementation of the
Project
- ix. Collect 100% advertisement revenue from buses while ensuring no damage to the buses or maintenance and charging infrastructure. Any damage caused to the buses or associated charging and maintenance during to installation, operation or removal of advertisements would be fully borne by the STU on actuals within a month from the damage being reported

iii. ***Bidder's Key Responsibilities***

a. **Under GCC Model**

- i. Design, manufacture, procurement and supply of buses along with chargers conforming to the Specifications and Standards set forth and timely deployment of e-buses as per the schedule provided by the STU in the Concession Agreement.
- ii. Bidder(s) will be responsible for setting up of Bus Maintenance Facilities at depots and downstream infrastructure beyond 0.415 kV provided at the depot site by the Authority, including all allied electrical and civil infrastructure along with service equipment, tools and facilities required for day- to-day operations and maintenance of the buses. Separate metering at LT/HT level for ancillary load for administration and maintenance activities performed by the bidder and sub-metering for Authority related activities will be set up at each depot site.
- iii. To provide GCC bids inclusive of electricity cost (inclusive of fixed charges, cess, surcharges taxes and any other charges levied by DISCOM) as per local DISCOM charges of the cities/states. The bidder is responsible for the payment of electricity charges at the HT metering level to the local DISCOM for operation of buses under the concessionaire agreement (and power consumption from operations of the maintenance depot and use of equipment and machinery).
- iv. To pay cost of any electricity consumed on account of (i) charging of the buses requiring electricity in excess of the Allowed Power Consumption; (ii) the use of any other equipment, plant and machinery at the Maintenance Depot (apart from the Charging Infrastructure); and (iii) the Operations and Maintenance of the Maintenance Depot.
- v. The Operator shall provide for real time data monitoring and provide the Authority access to the raw feed of the monitoring system pertaining to the performance of the Operator under this Contract as generated by ITS (Intelligent Transport System). The Operator shall insure adequate interfacing with the existing State and proposed CESL centralized database. The Operator further agrees to install on-board devices to enable the Authority to access real time location and status of the buses. The data collected for the ITS may also be stored on a server for analytical purposes.
- vi. Ensure operation of e-buses on the routes specified and in adherence to all SLAs under concession agreement
- vii. Ensure that the recommendations in annual safety audit report shall be implemented in accordance with Safety Requirements, Specifications and Standards and

Applicable Laws viii. Undertake mid-life bus refurbishment and battery replacement – same as NEBP

Tender 1 ix. Payment of CESL fees

b. Under Dry Lease Contract Model

- i. Design, manufacture, procurement and supply of buses confirming to the Specifications and Standards set forth and timely deployment of e-buses as per the schedule provided by the STU in the Concession Agreement.
- ii. Bidder(s) will be responsible for setting up of Bus Maintenance Facilities at depots and downstream infrastructure beyond 0.415 kV provided at the depot site by the Authority, including all allied Electrical and Civil Infrastructure along with service equipment, tools and facilities required for day-to-day maintenance of the buses. Separate metering at LT/HT level for ancillary load for administration and maintenance activities performed by the bidder and sub-metering for Authority related activities will be set up at each depot site.
- iii. Bidder has to supply chargers along with the buses with overnight charging time less than 5 hours
- iv. Undertake the design, engineering, procurement, construction, and operation of the maintenance facility for e-buses at the depots
- v. Provide training to the pool of drivers provided by Authority initially and refresher training at fixed intervals.
- vi. To pay cost of any electricity consumed on account of (i) charging of the buses requiring electricity in excess of the Allowed Power Consumption; (ii) the use of any other equipment, plant and machinery at the Maintenance Depot (apart from the Charging Infrastructure); and (iii) the Operations and Maintenance of the Maintenance Depot.
- vii. Provide onboard tools/software/devices to monitor the driver behaviour and identify improper driving habits and behaviour which may impact safety, energy consumption or faster deterioration of the bus.

- viii. Ensure 95% fleet availability and reliability for operations as per SLAs under Dry lease agreement ix. Undertake mid-life bus refurbishment and battery replacement – same as Grand Challenge terms.
- x. Bidder has to provide comprehensive insurance and insurance clauses will remain same as Grand Challenge GCC model.

8. Procedure for submitting this EOI.

Eligible entities as per the parameters stated above may submit their proposal for deployment of electric buses through National E-Bus Program for India in response to this EoI as per the subscription letter (non-binding) mentioned in Annexure-A & Annexure-B.

ANNEXURE-A

(To be given in the letter head of the organization)

Subscription Letter

To

CGM (SCM)
Convergence Energy Services Limited
Core-3, 2nd Floor, SCOPE Complex,
Lodhi Road, New Delhi-110003

Subject: Proposal for participation in National Electric Bus Programme for India through Aggregation model for Deployment of Electric Buses on Gross Cost Contract Model or Dry lease Contract Model basis

Sir,

Reference to Expression of Interest issued on 11/11/2022 for inviting proposals from STUs/Authority for **participation in National Electric Bus Programme for India through Aggregation model For Deployment of Electric Buses on Gross Cost Contract Model or Dry Lease Contract Model basis issued by CESL**, we are hereby submitting our Expression of Interest, in the prescribed format, for consideration of CESL. We agree to abide by the conditions set forth in the said EOI.

As a part of this program, we express our demand for E buses here under: (Demand for each lot shouldn't be less than 50 nos)

a. Under Gross Cost Contract Model
1. Demand for Type I (Intracity) buses (i.e. within the same city):

Type	AC		Non-AC	
	Standard Floor	Low Floor	Standard Floor	Low Floor
Number of Buses (7m)				
Number of Buses (9m)				
Number of Buses (12m)				

2. Demand for Type II (Mofussil) buses:

Type	AC		Non-AC	
	Standard Floor	Low Floor	Standard Floor	Low Floor
Number of Buses (7m)				
Number of Buses (9m)				
Number of Buses (12m)				

3. Demand for Type III (Intercity) buses (i.e. city to city):

Type	AC		Non-AC	
	Standard Floor	Low Floor	Standard Floor	Low Floor
Number of Buses (9m)				
Number of Buses (12m)				

b. Under Dry Lease Contract Model
1. Demand for Type I (Intracity) buses (i.e. within the same city):

Type	AC		Non-AC	
	Standard Floor	Low Floor	Standard Floor	Low Floor
Number of Buses (7m)				
Number of Buses (9m)				
Number of Buses (12m)				

2. Demand for Type II (Mofussil) buses:

Type	AC		Non-AC	
	Standard Floor	Low Floor	Standard Floor	Low Floor
Number of Buses (7m)				
Number of Buses (9m)				
Number of Buses (12m)				

3. Demand for Type III (Intercity) buses (i.e. city to city):

Type	AC		Non-AC	
	Standard Floor	Low Floor	Standard Floor	Low Floor
Number of Buses (9m)				
Number of Buses (12m)				

Sincerely,

Signature: _____

Name: _____

Designation: _____

AUTHORISED SIGNATORY'S SIGNATURE WITH SEAL

ANNEXURE-B

Additional information needed to be submitted by cities/STUs in response to EOI A.

General details

Parameter	Details
Name of STU/Authority:	
Details of nodal person: <ul style="list-style-type: none"> • Name • Designation • Phone number • E-mail ID 	
Power Tariff applicable (final landed cost) for Electric buses (Rs. per unit). Tariff guidelines to be attached.	
Total no. of buses currently in operation	
No of diesel/ CNG buses in operation	
No of e-buses in operation	
No of vehicles running on GCC model	
No of diesel/CNG running on GCC model	
No of e-buses on GCC model	
Age of buses for scrapping, as mandated in the state	
No of vehicles with age more than 12 years	
No of vehicles with age more than 11 years	
No of vehicles with age more than 10 years	

No of depots identified for e-buses to be deployed under this program	
Capital subsidy proposed by State/City/STU/Authority (INR in lakhs) – if any	
Number buses /Authority is planning deploy in next 5 years – estimate is fine	

□ Break-up of existing Diesel/CNG buses based on its total run per day in the following table:

No of Buses	150 to 200 km	200 to 250 km	250 to 300 km	300 to 350 km	More than 350 km
Bus owned and run by STU/Authority					
Buses run on GCC model					
Total Buses					

B. List of depots identified for proposed electric buses to be deployed and no of buses (type and size wise) per depot under: **(this information will be disclosed in the RFP)**

i. GCC Model

S. No.	Depot Name	No of proposed Buses	Type of operation of bus (Type I/II/III)	Bus type (7/9/12 meter bus, Std floor/Low floor & AC/Non-AC)	Area (sq.m)

ii. Dry Lease Model

S. No.	Depot Name	No of proposed Buses	Type of operation of bus (Type I/II/III)	Bus type (7/9/12 meter bus, Std	Area (sq.m)

				floor/Low floor & AC/Non-AC)	

c. Detailed deployment plan for the proposed buses– will be disclosed in the RFP

FY	No. of Buses (type and size wise)	
	Under GCC	Under Dry Lease Model
FY 2023-24		
FY 2024-25		
FY 2025-26		

d. Details about arrangement of upstream electricity supply for charging of electric buses.

i. GCC Model

S. No.	Depot Name	No of Buses	Power availability (6/11/33 KV)	Additional power requirement

ii. Dry Lease Model

S. No.	Depot Name	No of Buses	Power availability (6/11/33 KV)	Additional power requirement

e. Any other information in support of proposal submitted by STU/Authority

Name:

Designation:

Signature:

AUTHORISED SIGNATORY'S SIGNATURE WITH SEAL

ANNEXURE-C

For developing upstream infrastructure for e-bus operations by STUs, following are the SOP to be followed.

- Step 1: Load estimation for e-bus operations.**
- Step 2: DISCOM connection process for upstream depot infrastructure.**
- Step 3: Survey and land requirements for upstream depot infrastructure.**
- Step 4: Demand estimates by DISCOM for upstream depot infrastructure.**
- Step 5: Agreements to be entered between STU and DISCOM.**
- Step 6: Payment against demand note.**
- Step 7: Timelines.**

1. Load estimation for e-bus operations:

An estimate of number of chargers required to operationalize a bus depot with 100 pure e-buses is presented in Table -1. Assuming that the e-buses would be subjected to both day and night charging in STU owned bus depots, the charger requirement for AC and Non-AC buses of 12m and 9m length has been worked out as follows:

Table 1: Depot Power requirement for 9 and 12m e-buses

Sl. No.	Description	9m AC Bus	9m Non-AC Bus	12m AC BUS	12m NonAC BUS
1	Rated Range (Km)	180	180	200	200
2	On Board Battery Capacity(kWh)	220	200	350	260
3	Energy Consumed (kWh/Km)	1	0.85	1.3	1.1
4	Daily Run (Km)	200	200	225	225
5	No of e-buses	100	100	100	100
6	Proposed Capacity of Charger (kW)	180	180	240	240
7	Bus/charger ratio	4	4	4	4

8	Estimated no. of Chargers to meet energy demand-Dual Gun	25	25	25	25
9	Total Charger load/ Bus Depot (kVA)	4500 ²	4500	6000	6000
10	Upstream Capacity required/Depot (mVA)	4.5	4.5	6.0	6.0

Depending on the STU plans for deployment of 100 e-buses per depot, the load estimation varies from 4500 kVA to 6000 kVA per depot.

2. DISCOM connection process for upstream depot infrastructure:

- STU have to finalise their depot plans for parking of e-buses and establishing EV chargers for e-bus operations.
- STU have to prepare a layout (civil drawing) of their depot with area earmarked for e-buses and EV chargers for e-bus operations.
- After finalisation of load estimates for e-bus operations, STU have to submit the application (online or offline as per the DISCOM process) under the HT/EHT connection category to concerned DISCOM.
- Applicable application fee as per DISCOM rates and requisite documents have to be submitted by STU while forwarding the application to DISCOM.
- Incomplete documentation or insufficient information could lead to auto cancellation of application submitted by STU. Therefore, STU have to ensure completeness in the application submitted to DISCOM.

Classification of Supply under Regulation 6(1) of Supply Code Regulations (Delhi)

Sl. No	Classification	System of Supply
1	High Tension	
a.	Load exceeding 100kW/108kVA and up to 4000kVA	3 phase at 11kV
2	Extra High Tension	
a.	Load exceeding 4000kVA	3 phase at 33kV or above

3. Survey and land requirements for upstream depot infrastructure:

- DISCOM will conduct a technical and commercial feasibility surveys against the STU application for the load demanded.
- DISCOM will recommend the space requirements for Electrical Substation Space (ESS) within the premise of STU.
- The space requirement for ESS may vary depending on the supply voltage and demanded load by STU governed by the DISCOM supply code regulations.

Space for installation of Grid substation, transformers, service line meter and other equipment under regulations 22 of Supply Code Regulations (Delhi):

² Charger utilization/efficiency factor assumed at 80%

In case the load demanded by the STU is 1MVA or above at HT level, space for installation of grid sub-station is as under.

Sl. No	Sub station Type	Size (Meters)
(i)	Air – insulated Sub-station – 66/11 kV Grid sub-station with 2PTR	80M x 60M
(ii)	Air – insulated Sub-station – 66/11 kV Grid sub-station with 3PTR	90M x 80M
(iii)	Air – insulated Sub-station – 33/11 kV Grid sub-station with 2PTR	45M x 35M
(iv)	Gas – insulated Sub-station – 66/11 kV or 33/11kV	50M x 30M

STU have to provide additional space for DT substation for taking supply at Low Tension level or requiring LT Service connections from DISCOM have to provide additional space approx. 5*(4M x 5.3) and STU shall approach DISCOM for approval of space and layout.

4. Demand estimates by DISCOM for upstream depot infrastructure:

- DISCOM will generate a demand note for providing demanded load up to STU boundary at 11kV voltage levels governed by their supply code regulations.
- STU could opt for Deposit Work scheme of DISCOM for developing the distribution infrastructure from 11kV/415V up to the proposed Chargers location.
- Alternatively, STU may also execute upstream infrastructure on their own under the provisions of DISCOM supply code regulations for HT/EHT connections. In such cases, applicable supervision charges of DISCOM have to be paid by STU.
- STU have to provide test reports and safety certificates for the EV chargers planned to be installed.
- STU have to provide the clearances for all the HT equipment's to be used at site by the DISCOM/Electrical Inspectors.

5. Agreements to entered between STU and DISCOM:

- After Handing Over or Taking Over (HOTO) of space by DISCOM, standard agreement will be signed between DISCOM and STU.
- Agreement template of DISCOM shall be followed by STU.

6. Payment against demand note:

- STU shall release the applicable payment to DISCOM towards the meter connection and demanded load based on the generated demand note along with the refundable security deposit.
- Payment for load application in case of HT is as below:
 - a. 100% Road Restoration (RR) cost will be borne by STU
 - b. HT cable, labor and switch gear cost will be spitted between DISCOM and STU in 50:50 ratio
 - c. Cost of metering unit be borne by DISCOM
 - d. Civil work/ construction of electrical substation including the transformer cost will be 100% borne by STU

- e. Maintenance of the electrical substation space (ESS) will be in the scope of STU.
- f. 100% of payment for load application including civil work has to borne by STU in case of EHT connections.
- Typically above process takes close to 3-4 months for completing above steps from (1) to (6)
- Tentative estimated cost of upstream depot infrastructure including civil works for 100 buses per depot is between 5-6 Cr. Ratio of buses per charger is assumed 1:5

7. Timeline:

- Based on the load demanded by STU, for providing new connections requiring augmentation of distribution system by DISCOM, the approximate time schedule is as under.

(i)	Electrified Areas (where existing 11kV network needs to be augmented)	Within 6 months from the date of receipt of payment against demand note
-----	-----------------------------------------------------------------------	-------------------------------------------------------------------------

(ii)	Electrified Areas (Where existing 66/33kV grid sub-station needs to be augmented)	Within 8 months from the date of receipt of payment against demand note
------	-----------------------------------------------------------------------------------	-------------------------------------------------------------------------